REMARKS

The Examiner's Office Action of 05/19/2005 has been carefully reviewed.

Note is taken that the Examiner has objected to the drawings alleging that the component relating to element 58 is not disclosed. The drawings, as filed, did include element 58 on Figures 1, 2, 4, 5 and 6 and a description of such component is in the specification on Page 24, Line 24, being the last line of page 12. It is deemed that these Figures along with the paragraph beginning on Line 16 of Page 12 and bridging Page 13 provide appropriate disclosure for determining the nature of applicant's invention.

The Examiner has rejected Claims 2, 3 and 5 "under 35 U.S.C. 103(a) as being unpatentable over Naganawa (#4,183,578) in view of Posey (#3,635,526)." Further the Examiner has noted Claim 1 as allowed and Claim 4 as containing allowable subject matter.

Claim 1 has been allowed. In response to the rejections, Claim 2 has been amended to include the allowable subject matter of Claim 4 bringing independent Claim 2 into form for allowance. Further, minor revisions have been made to Claims 3 and 5, which depend from now allowable Claim 2, rendering Claims 3 and 5 in better condition for allowance and issuance. Specifically, .Claim 3 has been amended at line 4 to now recite "the frame adapted to selectively receive and support a tray." Claim 5 has been amended to correct a typographical error in line to correcting "for" to --from--. It is deemed that this ground of rejection based upon the prior art is no longer applicable in view of the amendments herein.

Applicant's invention is new, not shown in the prior art. Applicant's invention is useful and a significant step forward in the art. It is urged that applicant's invention is unobvious over the prior art taken alone or in any combination. All grounds of object and rejections are deemed overcome.

A notice of allowance is respectfully requested.

Respectfully submitted,

Edward P Dutkiewicz,

Reg. 46,676

640 Douglas Avenue Dunedin, FL 34698

Telephone: (727) 734-2855 Facsimile: (727) 734-2750